

	Management Hand Book 管理手册 认证证书和标志管理程序 附件 A Annex A to the Procedure of Use of Certificate and Logo	Revision 版本: 06/2025	Page 1 of 8
---	--	---	--------------------

认证证书和标志管理程序

附件 A

TUV 注册商标和 TUV Thuringen 商标/标志的使用规定

本文件适用于 TUV Thuringen e.V.的下属分支机构

特灵顿（上海）检测认证服务有限公司

Procedure of Use of Certificate and Logo

Annex A

Regulations on the Use of TUV Registered Trademarks and TUV Thuringen Trademark/logo

This document is applicable to subordinate branches of TUV Thuringen e.V.

TUV Thuringen Asia Pacific Co., Ltd.

TUV Thuringen (Shanghai) Co., Ltd.

And its subsidiaries

评估人/日期 Reviewed by: TTSH date:01.06.2025

审批人/日期 Approved by: TTSH date:01.06.2025

批准和实施日期 Release and implement date:01.06.2025

附件 A: TUV 注册商标和 TUV Thuringen 商标/标志的使用规定

1. 目的: 本规定用于规定特灵顿 (上海) 检测认证服务有限公司所使用的集团商标的使用和管理 and 认证客户对于认证标志和证书样式的使用和管理。

2. 关于 TUV 注册商标

Regarding TUV registered trade mark

样式:	
-----	---

TÜV®是受保护的商标, 授予 VdTÜV 和 TÜV 组织成员专有使用权, 使用方法请参照:

https://www.vdtuev.de/en/about_us/trade_mark_tuev 之规定。

TÜV® is a protected trade mark, conferring proprietary rights on VdTÜV and the TÜV organisations exclusively, please refer to https://www.vdtuev.de/en/about_us/trade_mark_tuev

3. 关于 TUV Thuringen 集团成员使用商标 (非认证标志)

样式 style:	
样式 style:	

颜色规定:

蓝色色号 Blue is HKS 42	print in 4-color-technics (CMYK) • N (natural paper) C 100, M 60, Y 0, K 0 • K (plastics) C 100, M 80, Y 0, K 0 • E (continuous paper) C 100, M
------------------------	---

	Management Hand Book 管理手册 认证证书和标志管理程序 附件 A Annex A to the Procedure of Use of Certificate and Logo	Revision 版本: 06/2025	Page 4 of 8
---	--	--	---

ISO9001 认证证书样式（第一版） 证书原件印有 Dakks 认可标志和防伪贴，并由机构授权人签字有效	ISO9001 认证证书样式（第二版） 证书原件印有 Dakks 认可标志和查询二维码，并由机构授权人签字有效
 认证证书 根据 GB/T24001-2016 和 ISO 14001:2015 颁发管理体系的证书 经审查兹证实符合并根据认证程序颁发证书予以此企业 XXXXXXXX 公司 组织机构/社会统一信用代码： 地址： 适用范围 XXXXXXXX 的生产 证书登记号：TIC 15 104 000000 有效期至：2021-00-00 评审报告编号：3330 2000 00 生效日期：2018-00-00 根据 TIC-程序经评审和认证并定期监督后颁发本认证证书。 (TÜV Thüringen e.V.) (TÜV Thüringen 集团) 管理体系认证 2018-00-00 于 耶拿 认证机构地址：www.tuv-thueringen.de 联系方式：TÜV Thüringen e.V. • Ernst-Ruska-Ring 6 • D-07745 Jena • 德 +49 3641 386740 • 22 cert@tuv-thueringen.de	 认证证书 根据 ISO 14001:2015 和 GB/T24001-2016 颁发 管理体系证书 经审查兹证实符合并根据认证程序颁发证书予以此企业 (companyname) 组织机构/社会统一信用代码：(companycode) (address) 认证(仅对该地点有效) 适用范围 (scope) 证书登记号：[CertNumber] 有效期至：2028-xx-xx 评审报告编号：3330(customernumber)/reportnumber 生效日期：2025-xx-xx 该认证是按照 TÜV-Thüringen e.V. 的审核和认证程序进行的，并受到定期监督。 至耶拿, 2025-xx-xx (TÜV Thüringen e.V.) (TÜV Thüringen 集团) 管理体系认证 认证机构地址：www.tuv-thueringen.de 联系方式：TÜV Thüringen e.V. • Ernst-Ruska-Ring 6 • D-07745 Jena • 德 +49 3641 386740 • 22 cert@tuv-thueringen.de
ISO14001 认证证书样式（第一版） 证书原件印有 Dakks 认可标志和防伪贴，并由机构授权人签字有效	ISO14001 认证证书样式（第二版） 证书原件印有 Dakks 认可标志和查询二维码，并由机构授权人签字有效

认证证书  根据 GB/T 45001-2020 和 ISO45001:2018 颁发管理体系的证书 经审查证实符合并根据认证程序颁发证书予以此企业。 XXXXXXX 公司 组织机构/社会统一信用代码: XXXXXXX 地址: XXXXXXX 适用范围: XXXXXXX 的生产 <table border="0"> <tr> <td>证书登记号: TIC 15 118 000000</td> <td>有效期至: 2022-00-00</td> </tr> <tr> <td>评审报告编号: 3330 2000 00</td> <td>生效日期: 2019-00-00</td> </tr> <tr> <td></td> <td>第一次认证日期: 2019</td> </tr> </table> 根据 TIC-推荐程序评审和认证并定期监督后颁发本认证证书。  2019-00-00 于 柏林 (TUV Thüringen e.V.) (TUV Thüringen 德国) 管理体系认证 本证书信息可在中国国家认证认可监督管理委员会网站 www.cnca.gov.cn 进行查询 认证证书附件上印有防伪标志 认证证书附件上印有防伪标志	证书登记号: TIC 15 118 000000	有效期至: 2022-00-00	评审报告编号: 3330 2000 00	生效日期: 2019-00-00		第一次认证日期: 2019	认证证书  根据 DIN EN ISO 45001:2023 和 GB/T45001-2020 颁发 管理体系证书 经审查证实符合并根据认证程序颁发证书予以此企业 {companyname} 组织机构/社会统一信用代码: {companycode} {address} 认证仅对该地点有效 适用范围 {scope} <table border="0"> <tr> <td>证书登记号: {CertNumber}</td> <td>有效期至: 2028-xx-xx</td> </tr> <tr> <td>评审报告编号: 3330/{customernumber}/{reportnumber}</td> <td>生效日期: 2025-xx-xx</td> </tr> </table> 该认证是按照 TUV-Thüringen e.V. 的审核和认证程序进行的, 并受到定期监督。  2025-xx-xx (TUV Thüringen e.V.) (TUV Thüringen 德国) 管理体系认证 本证书信息可在中国国家认证认可监督管理委员会网站 www.cnca.gov.cn 进行查询。 认证证书附件上印有防伪标志	证书登记号: {CertNumber}	有效期至: 2028-xx-xx	评审报告编号: 3330/{customernumber}/{reportnumber}	生效日期: 2025-xx-xx
证书登记号: TIC 15 118 000000	有效期至: 2022-00-00										
评审报告编号: 3330 2000 00	生效日期: 2019-00-00										
	第一次认证日期: 2019										
证书登记号: {CertNumber}	有效期至: 2028-xx-xx										
评审报告编号: 3330/{customernumber}/{reportnumber}	生效日期: 2025-xx-xx										
ISO45001 认证证书样式 证书原件印有 Dakks 认可标志和防伪贴, 并由机构授权人签字有效	ISO45001 认证证书样式 (第二版) 证书原件印有 Dakks 认可标志和查询二维码, 并由机构授权人签字有效										
认证证书  根据 ISO22716:2007 和 GMPC (化妆品-良好生产规范) 颁发管理体系证书 经审查证实符合并根据认证程序颁发证书予以此企业。 XXXXX 有限公司 组织机构/社会统一信用代码: XXXXXXX. 地址: 中国 XXXXXXX. 适用范围: XXXXXXXXXXXXXXXXXXXXX. <table border="0"> <tr> <td>证书登记号: TIC 15 286 XXXXX.</td> <td>有效期至: 2022-00-00</td> </tr> <tr> <td>评审报告编号: 3330XXXXXX.</td> <td>生效日期: 2019-00-00</td> </tr> </table> 根据 TIC-推荐程序评审和认证并定期监督后颁发本认证证书。  2019-00-00 于 上海 特灵顿 (上海) 检测认证服务 有限公司 管理体系认证 本证书信息可在中国国家认证认可监督管理委员会网站 www.cnca.gov.cn 进行查询 认证证书附件上印有防伪标志	证书登记号: TIC 15 286 XXXXX.	有效期至: 2022-00-00	评审报告编号: 3330XXXXXX.	生效日期: 2019-00-00	认证证书  根据 ISO 22716:2007 / GMPC 化妆品-良好生产规范 颁发管理体系证书 经审查证实符合并根据认证程序颁发证书予以此企业 {companyname} 组织机构/社会统一信用代码: {companycode} {address} 认证仅对该地点有效 适用范围 {scope} <table border="0"> <tr> <td>证书登记号: {CertNumber}</td> <td>有效期至: 202X-xx-xx</td> </tr> <tr> <td>评审报告编号: 3330/{customernumber}/{reportnumber}</td> <td>生效日期: 202X-xx-xx</td> </tr> </table> 该认证是按照 TUV-Thüringen e.V. 的审核和认证程序进行的, 并受到定期监督。  202X-xx-xx 特灵顿 (上海) 检测认证服务 有限公司 管理体系认证 本证书信息可在中国国家认证认可监督管理委员会网站 www.cnca.gov.cn 进行查询。 认证证书附件上印有防伪标志	证书登记号: {CertNumber}	有效期至: 202X-xx-xx	评审报告编号: 3330/{customernumber}/{reportnumber}	生效日期: 202X-xx-xx		
证书登记号: TIC 15 286 XXXXX.	有效期至: 2022-00-00										
评审报告编号: 3330XXXXXX.	生效日期: 2019-00-00										
证书登记号: {CertNumber}	有效期至: 202X-xx-xx										
评审报告编号: 3330/{customernumber}/{reportnumber}	生效日期: 202X-xx-xx										

	Management Hand Book 管理手册 认证证书和标志管理程序 附件 A Annex A to the Procedure of Use of Certificate and Logo	Revision 版本: 06/2025	Page 6 of 8
---	--	---	--------------------

ISO22716/GMPC 认证证书样式 证书原件印有防伪贴，并由机构授权人签字有效	ISO22716/GMPC 认证证书样式（第二版） 证书原件印有防伪贴或查询二维码，并由机构授权人签字有效
---	--

上述认证证书为特灵顿公司获证组织允许使用的标志示例，证书具体使用办法请参考‘认证证书和标志使用程序’的规定，其他标准的认证证书，请征询相关认证办公室。证书中的标志的色号请参考本文件第 3 条：TUV Thuringen 集团成员使用商标（非认证标志）的色号之规定。认证证书为中英文各一，同时有效。

4.2 管理体系认证标志样式

ISO 9001 	ISO 14001 
ISO9001 获证客户使用的认证标志	ISO14001 获证客户使用的认证标志
ISO 45001 	ISO 22716 
ISO45001 获证客户使用的认证标志	ISO22716 获证客户使用的认证标志

上述认证标志为特灵顿公司获证组织允许使用的相应管理体系的标志示例，标志具体使用办法请参考‘认证证书和标志使用程序’的规

定，其他管理体系标准的认证标志，需要根据认证规则制定，请咨询相关认证办公室（联系方式：shanghai@tuv-thuringen.com.cn）。

标志的色号请参考本文件第 3 条：TUV Thuringen 集团成员使用商标（非认证标志）的色号之规定。

4.3 标志的设计者、所有者和使用者

TUV Thuringen e.V.负责设计、变更和授权使用集团标志、认证证书和认证标志，并具有最终解释权。

5. 自愿性功能安全产品认证证书和标志

5.1 自愿性功能安全产品认证证书样式

 No. (Certnumber) CERTIFICATE by conformity with following standards of the product This is to certify that the product mentioned below has been assessed and fulfils the relevant requirements of the following standards: IEC 61508:2010 PART 1 & PART 2 Company name : (companyname) Address : (companyaddress) Product : (productname) (remarks) Type designation : (type) (type remarks) Systematic Capability : SC 3 Safety Integrity Level : Type A Element/ SIL 2 Capability in 1oo1 configuration HFT=0 SIL 3 Capability in 1oo2 configuration HFT=1; Route 2H It is suitable to be used in safety function loop according to the description defined in safety manual and appendix 1. Remark : To evaluate the function safety of the whole system, all the requirements of IEC 61508:2010 must be considered. This certificate only applies to the design of the above mentioned product and to the corresponding technical file(s). It does not imply an assessment of the production of the product, and it does not permit the use of a mark of conformity or of a safety mark of TUV Thuringen. Date of issue : (date of issue) Date of expiry : (date of expiry) Authorized Signatory Signed for and on behalf of TUV Thuringen (Shanghai) Co., Ltd. a member of TUV Thuringen Group TUV* The current validity can be detected at our homepage www.tuv-thuringen.com.cn TUV Thuringen (Shanghai) Co., Ltd. ☎ +86 21 5065 1568 China@tuv-thuringen.com.cn	 No. (Certnumber) CERTIFICATE for functional safety product by conformity with following information Applicant : Address : Manufacturer : Address : Product Name : Type Designation : Safety Function(s) : Safety Integrity Level : SIL 2 Capability in 1oo1 configuration HFT=0; SIL 3 Capability in 1oo2 configuration HFT=1; Systematic Capability : SC3 The Standards and Technical Requirements : GB/T 20438.1-2017 & GB/T 20438.2-2017 IEC 61508-1:2010 & IEC 61508-2:2010 Certification Mode : Documents review + Type approval + Follow up supervision Remarks : Type A Element, Route 2H The validity of the certificate shall be maintained according to the certification rules made by the certification body during the certification period. This certificate information can be queried at www.tuv-thuringen.com.cn or the official website of Certification and Accreditation of Administration of P. R. China (www.cnca.gov.cn) or call +86 21 5065 1568 for the details. Date of issue : (date of issue) Date of expiry : (date of expiry) Authorized Signatory Signed for and on behalf of TUV Thuringen (Shanghai) Co., Ltd. a member of TUV Thuringen Group TUV* TUV Thuringen (Shanghai) Co., Ltd. Room 2003, Floor 20, Yixian Building, 1201 Gongjing Road, Pudong New District, Shanghai 200122, P. R. China Tel: +86 21 5065 1568 Fax: +86 21 5065 1569 Email: china@tuv-thuringen.com.cn www.tuv-thuringen.com.cn
---	---

APPENDIX 1

Certificate No.: (Certnumber)

The use of the product (productname) must obey the required rules to maintain the SIL Capable properties. These rules are stated in the section 1 of the Assessment Report (reportnumber).

The product model(s) for the assessment are the following:

Product (productname) (remarks)	Model(s) (type)
Assessed documents for the present certification are defined in the Appendix 1 of the Assessment Report (reportnumber).	
Acceptable environmental constraints and design lifetime for the product are stated in the safety manual (manualnumber). These elements have been checked.	
The certified Safety Function(s) of (productname) is/are the following:	
- SF1: Open the valve on demand - SF2: Close the valve on demand	
Hypothesis used for mode of operation is the following:	
The mode of operation is "Low demand", which means less than 1 trip demand each year.	

		Calculation hypothesis		Intermediate results		Final results	
Type	Component architecture	Safety function	Tests intervals	MTTR	Failure Rate	Undetected dangerous failure rate	SIL Capability
Same as above models	too1 configuration	SF1	12months	24h	(Failure rate(SF))	(undetected rate(SF))	SIL 2
		SF2	12months	24h	(Failure rate(SF))	(undetected rate(SF))	
	too2 configuration	SF1	12months	24h	(Failure rate(SF))	(undetected rate(SF))	SIL 3
		SF2	12months	24h	(Failure rate(SF))	(undetected rate(SF))	

The Safety Integrity Level of the safety function using the (productname) have been calculated as taking into account the characteristics of the complete system supporting the safety function.

This certificate does not imply the conformity of this product to the European Pressure Equipment Directive (2014/68/EU), and does not allow CE marking.

TUV*
TUV Thuringen (Shanghai) Co., Ltd. • 188 21 5895 1593 • China@tuv-thuringen.com

APPENDIX

Certificate No.: (Certnumber)

The use of the product (productname) must obey the required rules to maintain the SIL Capable properties. These rules are stated in the section 1 of the Assessment Report (reportnumber).

The product model(s) for the assessment are the following:

Product (productname) (remarks)	Model(s) (type)		
Assessed documents for the present certification are defined in the Appendix 1 of the Assessment Report (reportnumber). Acceptable environmental constraints and design lifetime for the product are stated in the safety manual (manualnumber). These elements have been checked.			
The certified Safety Function(s) of (productname) is/are the following:			
Open/Close the valve on demand			
Summary of assessment			
Hypothesis used for mode of operation:			
MTTR:	24 hours		
MRT:	8 hours		
Tests intervals:	8760 hours		
Beta:	10%		
The mode of operation	5 Years		
Failure Rate:			
Undetected dangerous failure rate (A _{du}):	Detected dangerous failure rate (A _{di}):	Safe failure rate (A _s):	
2.87E-07	0.00E+00	3.38E-07	
	Component architecture	Low demand mode PFD _{avg}	Safety Integrity Level
Hardware Fault Tolerance, HFT=0	too1	1.27E-03	SIL 2
Hardware Fault Tolerance, HFT=1	too2	1.28E-04	SIL 3

Remark: Users need to install, use, regularly inspect, and maintain the product according to the requirements of the installation and maintenance manual. This certificate only applies to the design of the above mentioned product and to the corresponding technical file(s). It does not imply an assessment of the production of the product, and it does not permit the use of a mark of conformity or of a safety mark of TÜV Thüringen. This certificate does not imply the conformity of the product(s) to the European Directive(s) and does not allow CE marking.

TUV*
TUV Thuringen (Shanghai) Co., Ltd. • 188 21 5895 1593 • China@tuv-thuringen.com

自愿性功能安全产品认证证书样式（第一版）

证书原件印有 TUV Thuringen 的防伪贴，并由机构授权人签字

有效

自愿性功能安全产品认证证书样式（第二版）

证书原件印有 TUV Thuringen 的防伪贴，并由机构授权人签字

有效

5.2 自愿性功能安全产品认证标志样式

自愿性功能安全产品认证无认证标志。产品认证证书和认证标志需根据相应法规或认证规则制定，请咨询相关认证办公室（联系方式：info@tuv-thuringen.com.cn）。